


THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF ADVANCED CONNECTION TECHNOLOGY INC. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ADVANCED CONNECTION TECHNOLOGY INC. OR ITS AFFILIATED SUBSIDIARIES.

CAD FILE: S3000001A


REV.	DESCRIPTION	DWG		APPROVED	
		NAME	DATE	NAME	DATE
AA	RELEASED	Teddy	2006/12/18	Hunter	2006/12/18
AB	ADD DIMENSIONS & NOTES	Teddy	2007/01/30	Hunter	2007/01/30

△ AB


- ◆ Assemble
- Function
- Control




端子料號為250+455+176




△ AB



0.083^{+0.002}/_{-0.001} NOTE (15)




SECTION "A"-"A" 2:1



NOTES:

- △ AB 1. MATERIAL: HOUSING: LCP
CONTACT: PHOSPHOR BRONZE
- △ AB 2. PLATING: GOLD IN CONTACT AREA, Ni ALL OVER PLATING
Sn PLATED IN SOLDERING AREA
3. MOLDED SURFACES SHALL BE CONSISTENT AND SMOOTH. SURFACES TO BE FREE OF SCATCHES, NICKS, SINK AREAS VOIDS OR OTHER BLEMISHES.
4. MAX ALLOWABLE BOW: TOP/BOTTOM: 0.06mm
SIDE/SIDE: 0.05mm
5. ALL IDENTIFICATION MARKS SHALL NOT APPEAR ON SURFACE A
6. PLEASE PUT LOT DATE, QUANTITY AND CUSTOMER P/N ON THE OUT CARTON
7. CUSTOMER P/N: SIB-110-02-FM-S-TI
8. THE GATE CAN BE EITHER IN THE RIGHT SIDE OR LEFT SIDE. AND THE DEPTH OF IT SHOULD BE 0.254mm
9. BURR ALLOWANCE: 0.04mm MAX.
10. MINIMUM PUSHOUT FORCE: 1LB
11. IF THERE ARE MORE THAN ONE P/N IN A BOX, PLEASE SEPARATE THE DIFFERENT PARTS IN THE DIFFERENT BAGS.
12. PLEASE PUT 5PCS SAMPLE FROM EVERY CAVITY IN A SEPERATE TUBE & DON'T WRAP THIS TUBE.
13. PLEASE PUT THE LABEL THAT HAS CUSTOMER P/N ON EACH TUBE.
14. THE COPLANARITY OF CONTACT IS 0.10mm MAX
15. ANY DISDANCE BETWEEN SOLDERS: < 0.10mm
16. THE HOLE IS AT THE POSITION THAT NEXT TO THE OPPOSITE T1 HOLE

See NOTE(8)



INTENDED USE: +USSAM		ACT Advanced Connection Technology Inc. TAIWAN, R.O.C. TEL: 886-2-88091060			
GENERAL DIMENSION		TITLE: G.SINGLE INTERFACE BEAM(TI)		DRAWN: Teddy	2007/01/30
XX±0.25	.X±0.15	DWG NO: 800-30000-01		CHECKED: Knight	2007/01/30
X±0.20	.XX±0.10			REV. AB	APPROVED: Hunter
UNIT: mm		SCALE: NONE	SHEET 1 OF 2	NAME	DATE



THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF ADVANCED CONNECTION TECHNOLOGY INC. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ADVANCED CONNECTION TECHNOLOGY INC. OR ITS AFFILIATED SUBSIDIARIES.

CAD FILE: S3000001B

REV.	DESCRIPTION	DWG		APPROVED	
		NAME	DATE	NAME	DATE
AA	RELEASED	Teddy	2006/12/18	Hunter	2006/12/18
AB	ADD DIMENSIONS&NOTES	Teddy	2007/1/30	Hunter	2007/01/30

△ AB

- ◆ 裝配
- 功能
- 控制



NOTES:

1. MATERIAL THICKNESS > 0.5mm
2. LENGTH: 56cm
3. 14 PCS/TUBE

INTENDED USE: +USSAM		ACT Advanced Connection Technology Inc. TAIWAN, R.O.C. TEL: 886-2-88091060			
GENERAL DIMENSION		TITLE: G.SINGLE INTERFACE BEAM(TI)		DRAWN: Teddy 2007/01/30	
XX±0.25	.X±0.15	DWG NO: 800-30000-01		CHECKED: Knight 2007/01/30	
X±0.20	.XX±0.10			APPROVED: Hunter 2007/01/30	
		REV. AB		UNIT: mm	SCALE: NONE
		SHEET 2 OF 2		NAME	DATE

1
2
3
4
5